



Fabricated Parts and Assemblies Requirements

Document Number SPEC_E23044

Triad RF Systems Proprietary

REVISION	DESCRIPTION	DATE
0	ECN231780	5/16/23
1	ECN231796	6/1/23

Contents

Contents

Contents	ii
1. Overview	3
2. Referenced Documents	3
3. Order of Precedence	3
4. Item Design Package.....	3
4.1 Item Drawing (DWG_)	4
4.1.1 Common Item Drawing Notes (DWG_).....	4
4.2 Item Model (MDL_).....	5
4.3 Assembly Bill of Material (BOM).....	5
4.4 Assembly Drawing (AD_)	5

1. Overview

This document defines the common/default requirements and specifications for fabricated parts and assemblies (Item).

2. Referenced Documents

SPEC_E21014	Labeling Requirement (Triad RF Systems)
MIL-DTL-5541	Military Specification, Chemical Conversion Coatings on Aluminium and Aluminium Alloy
MIL-A-8625	Military Specification, Anodic Coatings for Aluminium and Aluminium Alloys

3. Order of Precedence

Where a conflict may arise, the following order of precedence shall apply:

1. Item drawing (DWG_)
2. Item model (MDL_)
3. This specification (SPEC_E23044)
4. Assembly bill of material (BOM)
5. Assembly drawing (AD_)
6. SPEC_E21014
7. Referenced industry standards, government documents and directives

4. Item Design Package

Minimally, the Item design package consists of the Item drawing (DWG_), and model (MDL_).

Candidate MAKE/BUY design packages may also include a bill of material (BOM), and assembly drawing (AD_).

4.1 Item Drawing (DWG_)

The Item drawing (DWG_) typically identifies: materials, finishes, special dimensions/tolerances, thread size/features, lot-marking locations, parts, and other information not readily conveyed in the (MDL_).

4.1.1 Common Item Drawing Notes (DWG_)

The following notes shall apply unless otherwise specified in the (DWG_). Unique requirements not identified by this specification are also noted in the (DWG_).

A. LABEL REQUIREMENTS PER SPEC_E21014.

B. DIMENSIONS ARE IN MILS (0.001 IN).

C. DIMENSIONS DO NOT INCLUDE FINAL SURFACE FINISH.

D. STANDARD TOLERANCES:

MODEL (MDL_), RELATIVE TO THE DATUM SHOWN: ± 0.005 MILS

3 DECIMAL PLACES SHOWN, X.XXX: ± 0.005 MILS

2 DECIMAL PLACES SHOWN, X.XX: ± 0.01 MILS

ANGULAR DIMENSIONS: $\pm 1/2^\circ$

FOR REFERENCE, NO TOLERANCE: REF

E. REMOVE ALL BURRS AND SHARP EDGES.

F. FINISH TYPES

NAME	SURFACE FINISH	SURFACE ROUGHNESS
TYPE A	NONE	VISIBLE MACHINE MARKS ARE ACCEPTABLE HOWEVER, SURFACE SHOULD BE SMOOTH TO THE TOUCH. (63Ra MICROINCHES)
TYPE B	MIL-DTL-5541 TYPE II CLASS 3	VISIBLE MACHINE MARKS ARE ACCEPTABLE HOWEVER, SURFACE SHOULD BE SMOOTH TO THE TOUCH. (63Ra MICROINCHES)
TYPE C	MIL-DTL-5541 TYPE II CLASS 3	COMMERCIAL #4 (40Ra-60Ra Microinches)
TYPE D	MIL-A-8625 TYPE III CLASS 2 BLACK COLOR	COMMERCIAL #4 (40Ra-60Ra Microinches)

4.2 Item Model (MDL_)

The Item model (MDL_) is the primary design artifact. File format is (.STP/.STEP).

4.3 Assembly Bill of Material (BOM)

The bill of materials (BOM) is the list of parts and material for Items configured as MAKE/BUY.

4.4 Assembly Drawing (AD_)

The assembly drawing (AD_) shows the location and installation of parts and materials for Items configured as MAKE/BUY.