

## RF SYSTEMS Triad RF Systems Terms & Conditions for Suppliers

Triad RF Systems is required to flow down specific information to our suppliers based upon our expectations to ensure that we are adequately controlling the processes we outsource and the products and services we procure from our supply chain. As a supplier to Triad, your company is required to:

CERTIFICATE OF COMPLIANCE:	Seller shall provide a certification, signed by an authorized representative
	that addresses compliance with the customer's drawing & drawing
	revision, workmanship standard, revision(s), & compliance to the
	customer's purchase order. A certificate of conformance is required with
	each delivery lot/quantity. All quality records associated with the
	product/service must be provided within 24 hours of the request.
SPECIAL PROCESSES	In keeping with industry standards, Triad identifies Special Processes as
	any process for which verification cannot be performed by visual
	inspection or non-destructive testing. The criteria for identifying
	applicable special processes will be conveyed by the Triad design and
	acquisition documentation, typically the drawing/specification.
	Special Processes and methods used must be listed on the Certificate of
	Compliance.
RETENTION OF ALL QUALITY	Supplier is required to maintain documentation pertaining to this order
RECORDS:	for a minimum of five (5) years after delivery, unless otherwise directed
	by the purchase order. This documentation must remain on file &
	available for review by Triad, customer and/or a designated
	representative. If Triad's end user requires a longer retention time than
	the one stated above, Triad will flow down the retention time
	requirement to the CM.
QUALITY SYSTEM	Seller & its subcontractor(s) shall, in the performance of this Purchase
REQUIREMENTS:	Order, provide and maintain a quality system that is in conformance with
	ISO 9001, ISO 13485, AS9100, or the equivalent.
	FABRICATION SUPPLIERS: Suppliers have the right to purchase material
	for PCBA(s) from vendors who are ISO 9001 or AS9100 certified. All
	material must come with a C of C to be used on or in our product. Triad
	has the right to ask for all documentation for any and all components in
	the BOM.
<u> </u>	<del></del>



## RF SYSTEMS Triad RF Systems Terms & Conditions for Suppliers

NOTIFICATION ON NON-	Supplier is required to notify Triad in the event that the nonconforming
CONFORMING PRODUCT:	product, which can't be reworked to specification, is produced. Supplier is
CONFORMING PRODUCT.	to obtain Triad's approval of nonconforming product dispositions.
	Unapproved repairs or non-conformances that are shipped to Triad will
	be subject to rejection upon detection regardless of levels of
	consumption within Triad. If Triad's labor and/or materials are added
	prior to the detection & rejection, then the supplier/subcontractor agrees
	to reimburse Triad for the full loss in value (ex: the supplied material,
TRACEABILITY:	component, assembly).  Supplier is required to identify each lot with a unique code number for
TRACEABILITY.	
	each batch of raw material and/or batch of items processed together but
DICUT OF ENTRY.	separately from the total quantity of the order.
RIGHT OF ENTRY:	The supplier shall allow Triad, our customer and/or a designated
	representative access to any location, where operations pursuant to a
	Triad's purchase order are being executed or where there are records
FLOW DOWN DECLUSES ASSUED	stored applicable to product processed for Triad.
FLOWDOWN REQUIREMENTS:	Supplier must pass on to their sub-tier suppliers all applicable quality
	terms and conditions as well as pertaining corrective action requests,
DA CIVA CINIC:	quality alert and/or nonconformance information.
PACKAGING:	Supplier shall package product for shipment in keeping with good
	commercial practice, unless otherwise instructed by purchase order
	requirements. Packaging shall be sufficient to prevent damage to
	product. Package will be identifiable on outer container by PO#. Packing
	slips are to be with each order.
PRODUCT AND/OR PROCESS	The supplier must notify Triad if there are any product or process changes
CHANGES:	that may affect Triad's quality policy. Supplier must obtain Triad's
	approval prior to implementation of changes.
CONTERFEIT	Suppliers shall assure that all products provided to Triad are authentic
PRODUCT/MATERIAL:	and no counterfeit material shall be used or shipped. Seller shall notify
	Triad immediately if supplier suspects or becomes aware that they have
	received counterfeit material or used counterfeit material regarding
NAODANANG: "D	Triad's PO.
WORKMANSHIP	Suppliers must follow Triad SPEC_E21017 regarding workmanship
REQUIREMENTS – FOR	requirements. These requirements are aligned with J-STD-001 (including
FABRICATION SUPPLIERS ONLY	the Space Addendum), GEIA-STD-0006 and IEC TS 62647-4.
FINAL INSPECTION REQUIRED	Supplier must provide a Final Inspection Report listing actual dimensions
- FOR FABRICATION	measured. The report must include: total quantity, sample size, and the
SUPPLIERS ONLY:	quantity accepted, quantity rejected, signature, initials or stamp from
	supplier representative preforming the inspection & date inspection was
	performed.
FIRST ARTICLE INSPECTION	Submit a completed revision of the First Article of Inspection Report to
REQUIRED – FOR CUSTOM	Triad for inspection and approval prior to proceeding with any further
FABRICATION SUPPLIERS ONLY	processing or production. The report should include: a fully processed
	sample, a dimensional report, complete certification, initials/signature or
	stamp of qualified supplier representative performing the inspection and
	the date. Items produced prior to Triad's approval are completely at risk
	to the seller.



## RE SYSTEMS Triad RF Systems Terms & Conditions for Suppliers

LABELING REQUIREMETS –	Triad requires all printed circuit board assemblies (PCBAs) to be labeled
CUSTOM FABRICATION	· · · · · · · · · · · · · · · · · · ·
	per Triad SPEC-E21014. Triad shall supply the serial numbers for these
SUPPLIERS ONLY	boards in the associated purchase order. The ESD bag that the boards are
	placed in also must be labeled in accordance with this document.
EXPORT/ITAR REGULATIONS:	Items including drawings or technical data, sent to the seller or to be
	delivered under this PO could be subject to U.S. export control laws
	and/or controlled by the U.S. International Traffic in Arms Regulations
	(ITAR). Items not specifically classified by the buyer on this PO as military
	items are to be assumed as commercial items.
CALIBRATION/TESTING	Calibration/test suppliers must furnish calibration/test reports to the PO
SUPPLIERS:	requirements and be traceable to the specific equipment used for the
	item that was calibrated under specific standards.
MACHINED PARTS	All machined parts must be degreased and free of all cutting fluids, oils
MANUFACTURERS:	and coolants. All machined parts and sheet metal parts must be
	completely de-burred and free of chips and other FOD, including FOD
	inside through and threaded holes.
	Sheet metal surfaces shall be line-grain finished with a timesaver sander
	or similar equipment. 180 grit sandpaper (or equivalent) minimum shall
	be used. All surfaces of both machined parts and sheet metal shall be free
	of scratches, gouges or any visible defects.
EMPLOYEE AWARENESS:	Supplier is required to ensure that personnel are aware of
	Their contribution to product or service conformity.
	2. The importance of ethical behavior.
	3. Their contribution to product safety.
	4. The importance of FOD awareness and prevention activities associated
	with the products/services provided to us.
	with the products/services provided to ds.

By accepting any Purchase Orders from Triad RF Systems, you are agreeing to the requirements set forth in this document. If you have any questions regarding the requirements in this document contact Purchasing (purchasing@triadrf.com) for clarification.

Vendor Acknowledgement:	
_	
Date:	